Waterfowl Identification WFS 536

Order Anseriformes



Family *Anatidae*

Matthew J. Gray University of Tennessee

Subfamily Anserinae

Tribe Dendrocygnini

Tribe Cygnini

Tribe Anserini



Whistling or Treeducks



Swans

True Geese

Fulvous Whistling Duck

(Dendrocygna bicolor)



Prefers Herbaceous Vegetation

13 in. BL 36 in. WS


Large, long-legged, long-necked duck
Dark bill and dark Legs

• Chestnut Belly

"Mostly Tropical and Nocturnal"

Black-bellied Whistling Duck (*Dendrocygna autumnalis*)

Prefers Nesting in Trees



13 in. BL 37 in. WS

Large, long-legged, long-necked duck
Bright Orange Bill and Pink Legs
Black Belly

"Mostly Tropical and Nocturnal"



Mute Swan (Cygnus olor)



"The Most Aggressive Swan in NA"

40 in. BL 90 in. WS

• Large, long-necked waterbird with entirely white plumage and black legs and feet

• Neck held in distinctive "S" curve


Orange bill with black base; knob above bill

45 in. BL 95 in. WS

Trumpeter Swan (Cygnus buccinator)

Largest NA Waterfowl





- Large, long-necked waterbird with entirely white plumage and black legs and feet
 - Long neck usually held straight up
- Long, <u>solid</u> black bill that extends to eye but does not encircle it

36 in. BL 85 in. WS

Tundra Swan (Cygnus columbianus)

Waterfowl w/ the most feathers (ca. 25,000)





- Large, long-necked waterbird with entirely white plumage and black legs and feet
 - Long neck usually held straight up
- Long, slightly concave black bill that extends to eye ending in a <u>yellow</u> "tear drop"

White-fronted Goose (Anser albifrons)



20 in. BL


60 in. WS



Medium-sized long-necked goose
Mostly brown plumage

- White patch at base of pink or orange bill
 - Irregular black <u>flecking</u> on belly
 - Orange legs and feet

Snow Goose (*Chen caerulescens*)



19 in. BL

- Medium-sized Goose
- Pink bill w/ black patch along mandibles

Blue Morph

- Throat white
- White-edged scapulars

<u>White Morph</u>

58 in. WS

- Entirely white plumage
 - Black primaries

Canada Goose (*Branta canadensis*)

<u>11 Races</u> B. c. maxima B. c. minima



16-25 in. BL 50-68 in. WS 4-13 lbs

Small to large long-necked goose

• Black bill, head, and neck

- White throat patch extends up to cheek
- **Brown** back, upper wing, and flanks

Subfamily Anatinae

Tribe *Cairinini*

Tribe Anatini

Tribe Aythyini







Diving Ducks

Perching Ducks Dabbling Ducks Tribe Mergini



Sea Ducks

Tribe Oxyurini



Stiff-tailed Ducks

Wood Duck (Aix sponsa)

28 in. WS



13 in. BL



- Green head
- White throat and cheek stripe
 - Chestnut breast
 - Golden flanks



<u>Hen</u>

• Gray bill

- White teardrop around eye and edge of secondaries
 - White throat
- Gray-brown head and body


Mallard16 in. BL(Anas platyrhynchos)

36 in. WS



Drake

- Green head
- Yellow or olive bill
- White ring around neck
 - Chestnut breast
 - Gray belly and flanks



<u>Hen</u>

- Orange bill with black central patch
- Dark cap and eye line
 - Mottled brown/tan plumage

American Black Duck16 in. BL(Anas rubripes)36 in. WS



"A Forest Duck"



<u>Drake</u>

- Dark brown head & body
 - Dark blue speculum <u>not</u> bordered by white
 - Greenish-yellow bill
 - Bright red legs

<u>Hen</u>

- Dark brown head & body
 - Dark blue speculum <u>not</u> bordered by white
- Green bill with black saddle
 - Orange legs

American Green-winged Teal (Anas crecca carolinensis)



- 10.5 in. BL• Very small-bodied duck24 in. WS
 - Green speculum

<u>Drake</u>

- Rust colored head with green post-ocular patch
 - Black bill

• Light brown head and body

Hen

• Dark gray bill

Blue-winged Teal (Anas discors)






11 in. BL • Very small-bodied duck 24 in. WS • Green speculum BUT blue in lesser and middle coverts Drake Hen

- Blue-iridescent head
- White crescent patch
- Buff breast & flanks w/ spots
- Light brown head
- Dark brown crown
- Mottled gray-brown body

Gadwall (Anas strepera)

14.5 in. BL



- Average-sized bodied duck with steep forehead
- <u>White</u> speculum (*only dabbler*) and black rump



• Black bill


<u>Hen</u>

35 in. WS

Gray bill with orange edges

American Wigeon (Anas americana)

34 in. WS



14 in. BL




Blue bill with black nail

- White secondary coverts (grayer in females)
 Drake
 Hen
- White crown
- Green post-ocular stripe
- Rusty breast and flanks
- Mottled body w/rusty flanks contrasting w/ head & neck
 - Dusky eye patch

Northern Pintail (Anas acuta)

18.5 in. BL





35 in. WS

- Dull blue bill with black culmen stripe
- Very long neck, small head and attenuated retrices
 Drake Hen
- Dark brown head
- White chest & neck extending into latitudinal stripe
- Tan head lightly colored mottled body
 - Bronze speculum

Northern Shoveler (Anas clypeata)

31 in. WS



14 in. BL



Spatulate bill

<u>Drake</u>


- Black bill
- Green head and yellow eyes
- White chest & chestnut sides

Hen

- Orange bill with mottling
- Tan head and brown eyes
 - Mottled brown body

Canvasback (Aythya valisineria)

34 in. WS



- Long sloping forehead and peaked crown
 - Black bill

<u>Hen</u>

• Red eye, head, and neck

Drake

15 in. BL

- Black chest and breast
- Pale gray back & flanks
- Brown eye, head, and neck
 - Brown chest and breast
- Pale gray back and flanks

Redhead (Aythya americana)






14.5 in. BL 33 in. WS

- Smoothly rounded head
- Dark wing with grayish secondaries
 Drake
 Hen
- **Red head & neck; <u>yellow</u> eye!**
- Blue bill w/ white ring before black tip
- Brown eye, head, and neck
- Blue-gray bill w/ <u>faint</u> white ring before black tip

Ring-necked Duck (Aythya collaris)

28 in. WS



12 in. BL



- Bill with white semi-terminal ring
- White/cream-colored ring at base of bill
 Drake
 Hen
- Purple head & neck; yellow eye
- Gray flanks with vertical white finger near black chest
- Brown eye, head, and neck
- Faint white eye ring and solid white ring before tip


Lesser Scaup (Aythya affinis) 12 in. BL 29 in. WS Greater Scaup (Aythya marila) 13 in. BL 31 in. WS



- Purplish head
- White on wing restricted to speculum
 - Body size

- Greenish head
- White on speculum extends to primaries
 - Body size

Common Goldeneye (Bucephala clangula) 13 in. BL 31 in. WS





- Short, stubby bill
- **Body rides low in water**


Drake

- Green head & neck; yellow eye
 - ullet
- All white chest, breast, flanks \bigcirc

Hen

- **Redish-brown head**
- White <u>circular</u> cheek patch Terminus of bill light colored
 - **Gray body**

Barrow's Goldeneye (Bucephala islandica)



"The most territorial of NA ducks"

13 in. BL 31 in. WS



- Steeply sloped forehead
- Purplish head and large crest
- White <u>tear-drop</u> shaped cheek patch
 - White neck, breast and belly
 - Dark back

Bufflehead (Bucephala albeola)

10 in. BL





24 in. WS

- <u>"Smallest</u> duck in North America"
- Very small dark gray bill Drake
- Dark iridescent head
- Large white patch extending from back of head to eye
 - White body

Hen

- Dull brown head
- White longitudinal stripe on cheek
 - Brown body

13 in. BLHooded Merganser13 in. BL(Lophodytes cucullatus)26 in. WS





- Long, pointed serrated bill
- Fan-like crest, small body, yellow eye

Drake

- Black forehead, cheek, & crest
 - White cheek/crest patch not extending to eye

<u>Hen</u>

- Brown head, neck, flanks, back, and wings w/ paler breast
- Faint reddish tinge to crest

Common Merganser18 in. BL(Mergus merganser)37 in. WS





- Long, pointed serrated bill that is thick at base
 - Brown eye

<u>Drake</u>

Dark green head with no crest •

• White body and black back

Hen Copper-colored head with crisp

- chest separation
- Distinct white chin patch

Ruddy Duck (Oxyura jamaicensis)

23 in. WS



11 in. BL



- Small, chunky diving duck with flat, wide bill
- Long stiff retrices that are often held vertically
 Drake
 Hen
 - Bright blue bill
- Rust colored body
- White cheek & under tail coverts

- Dull brown bill
- Dusky longitudinal cheek stripe
 - Gray-brown body

North American Waterfowl <u>NOT</u> Required for WFS 536

Emperor Goose

(Chen canagicus)



43 in. WS

18 in. BL

Small Coastal Goose
 Mostly gray plumage with black and white feather edging

 White head and neck
 Black throat and foreneck
 Pink bill


Common Eider (Somateria mollissima)

17 in. BL



41 in. WS







Bill feathered along side almost to nostril Long sloping forehead Black crown; light green back of head All white chest & breast; black belly & sides

Spectacled Eider (Somateria fischeri)



15 in. BL

36 in. WS

Bill feathered along side almost to nostril
Long sloping forehead
Pale green head w/ large white patch around eye
Yellow bill; black under- & white upper-parts

King Eider (Somateria spectabilis)

16 in. BL

"The most northern of the eiders"



37 in. WS



Bill feathered partly along side Steep forehead Pale blue crown & back of head; green cheek

Yellow forehead outlined in black; orange bill

White-winged Scoter (Melanitta fusca)

16 in. BL

"The largest of the scoters"





38 in. WS

Base of bill feathered; white speculum
Sloping forehead
Entirely black plumage; small white eye patch
Black bill with a red tip

Black Scoter (*Melanitta nigra*)

14 in. BL

"The most northern of the scoters"



33 in. WS

Round head
Entirely black plumage
Black bill with orange knob at base

Harlequin Duck (Histrionicus histrionicus)

12 in. BL

"Only duck in NA to nest near fast, running water"



26 in. WS

Small diving duck with short gray bill
Two circular white patches on side of head
Blue-gray head & body; white ocular crescent
White stripes on neck and breast

Oldsquaw (*Clangula hyemalis*)

15 in. BL

"The tenor of the Anatidae"



30 in. WS



Very long, black central retrices

- Black bill with pink/orange ring
 - White crown and back of neck
- Black cheek patch; light brown around eye